



FIG. 4










FIG. 7









FIG. 10



| |-|-





FIG. 12






FIG. 14




FIG. 15

APPLICATION DAT SUPPORT SEI	DAT	DATABASE SERVICES	ROUTING	SECURITY	NETWORK MANAGEMENT	DEPLOYMENT
	GATEWAY	GATEWAY	GATEWAY	GATEWAY AND IPC NODES	GATEWAY AND IPC NODES	GATEWAY AND IPC NODES
• • • • • • • • • • • • • • • • • • •	• Diagnostics • Event Detection	• Network attributes • Packet routing to • Device attributes • IDB-C • Diagnostic data • Bluetooth • IEEE 1394 • MOST • Internet	•Packet routing to •IDB-C •Bluetooth •IEEE 1394 •MOST •Internet	User account management Entry security OEM bus access security Internet access security Authentication Verification Privacy	• Network status • SNMP services • IPC node access control	Discovery     Initialization     Configuration

F1G. 16




FIG. 17

JAVA / JINI DISCOVERY SERVICES	\$0	SECURITY ROUTING INTERFACE COST SUPPORT SERVICES
		IMPLEMENTATION OF AMI-C AND IDB-C
		GATEWAY AND PORT NODES
1806	4081	1802

F1G. 18




FIG. 19





FIG. 20






FIG. 22

SERVERSQL SERVERDATABASE




FIG. 23